

DIN6528 SOLID CARBIDE END MILLS

- Manufacturing process: fully ground
- Spiral angle: 30°
- Flutes: 2 flutes Type: ball nose
- Material: tungsten carbide
- Finish: bright, TiN, TiALN
- Diameter: 3.0-20.0mm



D	d	FL	OAL
4.0	4.0	8	50
5.0	5.0	10	50
6.0	6.0	10	57
7.0	7.0	13	60
8.0	8.0	16	63
9.0	9.0	16	67

D	d	FL	OAL
10.0	10.0	19	72
11.0	11.0	22	83
12.0	12.0	22	83
14.0	14.0	22	83
16.0	16.0	26	92
18.0	18.0	26	92
20.0	20.0	32	104

DIN6528 SOLID CARBIDE END MILLS

- Manufacturing process: fully ground
- Spiral angle: 30°
- Flutes: 2 flutes Type: corner radius
- Material: tungsten carbide
- Finish: bright, TiN, TiALN
- Diameter: 3.0-20.0mm



D	d	FL	OAL	R
4.0	4.0	8	50	0.5
5.0	5.0	10	50	0.5
6.0	6.0	10	57	1
7.0	7.0	13	60	1
8.0	8.0	16	63	1
9.0	9.0	16	67	1
10.0	10.0	19	72	1.5
11.0	11.0	22	83	1.5
12.0	12.0	22	83	2
14.0	14.0	22	83	1
14.0	14.0	22	83	1.5

D	d	FL	OAL	R
14.0	14.0	22	83	2
16.0	16.0	26	92	2
16.0	16.0	26	92	2.5
16.0	16.0	26	92	3
18.0	18.0	26	92	2
18.0	18.0	26	92	2.5
18.0	18.0	26	92	3
20.0	20.0	32	104	2
20.0	20.0	32	104	2.5
20.0	20.0	32	104	3